

## **Texas Notifiable Conditions**

24/7 Number for Immediately Reportable (817) 321-5350

Tarrant County Public Health
Epidemiology and Health Information
1101 S. Main St - Fort Worth, TX 76104
Phone: (817) 321-5350
Fax: (817) 850-2366

Report confirmed and suspected cases.
Unless noted by \*, report directly to Tarrant County Public Health Epidemiology

A – L	When to Report	L – Y	When to Report
*Acquired immune deficiency syndrome (AIDS) <sup>1</sup>	Within 1 week	Legionellosis <sup>2</sup>	Within 1 week
Amebiasis <sup>2</sup>	Within 1 week	Leishmaniasis <sup>2</sup>	Within 1 week
Amebic meningitis and encephalitis <sup>2</sup>	Within 1 week	Listeriosis <sup>2, 3</sup>	Within 1 week
Anaplasmosis <sup>2</sup>	Within 1 week	Lyme disease <sup>2</sup>	Within 1 week
Anthrax <sup>2, 3</sup>	Call Immediately	Malaria <sup>2</sup>	Within 1 week
Arboviral infections <sup>2, 4</sup>	Within 1 week	Measles (rubeola) <sup>2</sup>	Call Immediately
*Asbestosis <sup>5</sup>	Within 1 week	Meningococcal infection, invasive (Neisseria meningitidis) <sup>2, 3</sup>	Call Immediately
Ascariasis <sup>2</sup>	Within 1 week	Multidrug-resistant Acinetobacter (MDR-A) 2, 6	Within 1 work day
Babesiosis <sup>2</sup>	Within 1 week	Mumps <sup>2</sup>	Within 1 work day
Botulism (adult and infant) <sup>2, 3, 7</sup>	Call Immediately <sup>7</sup>	Paragonimiasis <sup>2</sup>	Within 1 week
Brucellosis <sup>2, 3</sup>	Within 1 work day	Pertussis <sup>2</sup>	Within 1 work day
Campylobacteriosis <sup>2</sup>	Within 1 week	*Pesticide poisoning, acute occupational8	Within 1 week
*Cancer <sup>9</sup>	See rules <sup>9</sup>	Plague (Yersinia pestis) 2, 3	Call Immediately
Carbapenem-resistant Enterobacteriaceae (CRE) 2, 10	Within 1 work day	Poliomyelitis, acute paralytic <sup>2</sup>	Call Immediately
Chagas disease <sup>2</sup>	Within 1 week	Poliovirus infection, non-paralytic <sup>2</sup>	Within 1 work day
*Chancroid 1	Within 1 week	Prion disease such as Creutzfeldt-Jakob disease (CJD) <sup>2, 11</sup>	Within 1 week
*Chickenpox (varicella) <sup>12</sup>	Within 1 week	Q fever <sup>2</sup>	Within 1 work day
*Chlamydia trachomatis infection <sup>1</sup>	Within 1 week	Rabies, human <sup>2</sup>	Call Immediately
*Contaminated sharps injury <sup>13</sup>	Within 1 month	Rubella (including congenital) <sup>2</sup>	Within 1 work day
*Controlled substance overdose <sup>14</sup>	Call Immediately	Salmonellosis, including typhoid fever <sup>2, 3</sup>	Within 1 week
Coronavirus, novel <sup>2, 15</sup>	Call Immediately	Shiga toxin-producing Escherichia coli <sup>2, 3</sup>	Within 1 week
Cryptosporidiosis <sup>2</sup>	Within 1 week	Shigellosis <sup>2</sup>	Within 1 week
Cyclosporiaisis <sup>2</sup>	Within 1 week	*Silicosis <sup>16</sup>	Within 1 week
Cysticercosis <sup>2</sup>		Smallpox <sup>2</sup>	Call Immediately
Diphtheria <sup>2, 3</sup>	Within 1 week	-	
•	Call Immediately	*Spinal cord injury <sup>17</sup>	Within 10 work days
*Drowning/near drowning <sup>17</sup>		Spotted fever group rickettsioses <sup>2</sup>	Within 1 week
Echinococcosis <sup>2</sup>	Within 1 week	Streptococcal disease (groups A <sup>2</sup> , B <sup>2</sup> ; <i>S. pneumo</i> . <sup>2, 3</sup> ), invasive	
Ehrlichiosis <sup>2</sup>	Within 1 week	*Syphilis – primary and secondary stages <sup>1, 18</sup>	Within 1 work day
Fascioliasis <sup>2</sup>	Within 1 week	*Syphilis – all other stages <sup>1, 18</sup>	Within 1 week
*Gonorrhea <sup>1</sup>	Within 1 week	Taenia solium and undifferentiated Taenia infection <sup>2</sup>	Within 1 week
Haemophilus influenzae, invasive <sup>2, 3</sup>	Within 1 week	Tetanus <sup>2</sup>	Within 1 week
Hansen's disease (leprosy) <sup>2</sup>	Within 1 week	*Traumatic brain injury <sup>17</sup>	Within 10 work days
Hantavirus infection <sup>2</sup>	Within 1 week	Trichinosis <sup>2</sup>	Within 1 week
Hemolytic uremic syndrome (HUS) <sup>2</sup>	Within 1 week	Trichuriasis <sup>2</sup>	Within 1 week
Hepatitis A <sup>2</sup>	Within 1 work day	*Tuberculosis (Mycobacterium tuberculosis complex) 3, 19	Within 1 work day
Hepatitis B, C, and E (acute) <sup>2</sup>	Within 1 week	*Tuberculosis infection <sup>20</sup>	Within 1 week
Hepatitis B infection identified prenatally or at delivery (mother) $^{2}$	Within 1 week	Tularemia <sup>2,3</sup>	Call Immediately
Hepatitis B, perinatal (HBsAg+ < 24 months old) (child) <sup>2</sup>	Within 1 work day	Typhus <sup>2</sup>	Within 1 week
Hookworm (ancylostomiasis) <sup>2</sup>	Within 1 week	Vancomycin-intermediate <i>Staph aureus</i> (VISA) <sup>2, 3</sup>	Call Immediately
*Human immunodeficiency virus (HIV), acute infection 1, 21	Within 1 work day	Vancomycin-resistant Staph aureus (VRSA) 2,3	Call Immediately
*Human immunodeficiency virus (HIV), non-acute infection 1, 21	Within 1 week	Vibrio infection, including cholera 2, 3	Within 1 work day
Influence consists discolletate acceptable. 2	Within 1 work day	Viral hemorrhagic fever (including Ebola) <sup>2</sup>	Call Immediately
Influenza-associated pediatric mortality <sup>2</sup>			
Influenza, novel <sup>2</sup>	<b>Call Immediately</b>	Yellow fever <sup>2</sup>	Call Immediately
	Call Immediately Call/Fax Immediately		Call Immediately Within 1 week

\*See condition-specific footnotes for reporting contact information

## **Texas Notifiable Conditions Footnotes**

- <sup>1</sup> Please refer to specific rules and regulations for HIV/STD reporting and who to report to at: http://www.dshs.texas.gov/hivstd/healthcare/reporting.shtm.
- <sup>2</sup> Reporting forms are available at <a href="http://www.dshs.texas.gov/idcu/investigation/forms/">http://www.dshs.texas.gov/idcu/investigation/forms/</a> and investigation forms at <a href="http://www.dshs.texas.gov/idcu/investigation/">http://www.dshs.texas.gov/idcu/investigation/</a>. Call as indicated for immediately reportable conditions.
- <sup>3</sup> Lab samples of the following must be sent to the Department of State Health Services, Laboratory Services Section, 1100 West 49th Street, Austin, Texas 78756-3199 or other public health laboratory as designated by the Department of State Health Services: *Bacillus anthracis* isolates, *Clostridium botulinum* isolates, *Brucella* species isolates, *Corynebacterium diphtheriae* isolates, *Haemophilus influenzae* isolates from normally sterile sites in children under five years old, *Listeria monocytogenes* isolates, *Neisseria meningitidis* isolates from normally sterile sites or purpuric lesions, *Yersinia pestis* isolates, *Salmonella* species isolates (also requested specimens positive for *Salmonella* by culture-independent diagnostic testing (CIDT) methods), Shiga toxin-producing *Escherichia coli* (all *E.coli* O157:H7 isolates and any *E.coli* isolates or specimens in which Shiga toxin activity has been demonstrated), *Staphylococcus aureus* with a vancomycin MIC greater than 2 μg/mL (VISA and VRSA), *Streptococcus pneumoniae* isolates from normally sterile sites in children under five years old, *Mycobacterium tuberculosis* complex isolates, *Francisella tularensis* isolates, and *Vibrio* species isolates (also requested specimens positive for *Vibrio* by culture-independent diagnostic testing (CIDT) methods). Pure cultures (or specimens) should be submitted as they become available accompanied by a current department Specimen Submission Form. See the *Texas Administrative Code* (*TAC) Chapter 97*: §97.3(a)(4), §97.4(a)(6), and §97.5(a)(2)(C). Call 512-776-7598 for specimen submission information.
- <sup>4</sup> Arboviral infections including, but not limited to, those caused by California serogroup virus, chikungunya virus, dengue virus, Eastern equine encephalitis (EEE) virus, St. Louis encephalitis (SLE) virus, Western equine encephalitis (WEE) virus, West Nile (WN) virus, and Zika virus.
- <sup>5</sup> For asbestos reporting information see <a href="http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/">http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/</a>.
- <sup>6</sup> See additional MDR-A reporting information at http://www.dshs.texas.gov/IDCU/health/antibiotic resistance/MDR-A-Reporting.doc.
- <sup>7</sup> Report suspected botulism immediately by phone to 888-963-7111.
- <sup>8</sup> For pesticide reporting information see <a href="http://www.dshs.texas.gov/epitox/Pesticide-Exposure/#reporting">http://www.dshs.texas.gov/epitox/Pesticide-Exposure/#reporting</a>.
- <sup>9</sup> For more information on cancer reporting rules and requirements go to <a href="http://www.dshs.texas.gov/tcr/reporting.shtm">http://www.dshs.texas.gov/tcr/reporting.shtm</a>.
- <sup>10</sup> See additional CRE reporting information at <a href="http://www.dshs.texas.gov/IDCU/health/antibiotic">http://www.dshs.texas.gov/IDCU/health/antibiotic</a> resistance/Reporting-CRE.doc.
- <sup>11</sup> For purposes of surveillance, CJD notification also includes Kuru, Gerstmann-Sträussler-Scheinker (GSS) disease, fatal familial insomnia (FFI), sporadic fatal insomnia (sFI), Variably Protease-Sensitive Prionopathy (VPSPr), and any novel prion disease affecting humans.
- <sup>12</sup> Call your <u>local health department</u> for a copy of the Varicella Reporting Form with their fax number. The <u>Varicella (Chickenpox) Reporting Form</u> should be used instead of an Epi-1 or Epi-2 morbidity report.
- <sup>13</sup> Applicable for governmental entities. Not applicable to private facilities. (<u>TAC §96.201</u>) Initial reporting forms for Contaminated Sharps at <a href="http://www.dshs.texas.gov/idcu/health/infection-control/bloodborne-pathogens/reporting/">http://www.dshs.texas.gov/idcu/health/infection-control/bloodborne-pathogens/reporting/</a>.
- <sup>14</sup> To report controlled substance overdose, contact local poison center at 1-800-222-1222. For instructions, see <a href="https://www.dshs.texas.gov/epidemiology/epipoison.shtm">https://www.dshs.texas.gov/epidemiology/epipoison.shtm</a>.
- <sup>15</sup> Novel coronavirus causing severe acute respiratory disease includes Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS).
- <sup>16</sup> For silicosis reporting information see <a href="http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/">http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/</a>.
- <sup>17</sup> Please refer to specific rules and regulations for injury reporting and who to report to at http://www.dshs.texas.gov/injury/rules.shtm.
- <sup>18</sup> Laboratories should report syphilis test results within 3 work days of the testing outcome.
- <sup>19</sup> Reportable tuberculosis disease includes the following: suspected tuberculosis disease pending final laboratory results; positive nucleic acid amplification tests; clinically or laboratory-confirmed tuberculosis disease; and all Mycobacterium tuberculosis (M. tb) complex including M. tuberculosis, M. bovis, M. africanum, M. canettii, M. microti,
  - M. caprae, and M. pinnipedii. See rules and reporting information at <a href="http://www.dshs.texas.gov/idcu/disease/tb/reporting/">http://www.dshs.texas.gov/idcu/disease/tb/reporting/</a>.
- TB infection is determined by a positive result from an FDA-approved Interferon-Gamma Release Assay (IGRA) test such as T-Spot TB or QuantiFERON T-TB GOLD In-Tube Test or a tuberculin skin test, and a normal chest radiograph with no presenting symptoms of TB disease. See rules and reporting information at http://www.dshs.texas.gov/idcu/disease/tb/reporting/.
- <sup>21</sup> Any person suspected of having HIV should be reported, including HIV exposed infants.
- <sup>22</sup> For lead reporting information see <a href="http://www.dshs.texas.gov/lead/default.shtm">http://www.dshs.texas.gov/lead/default.shtm</a>.