

Texas Notifiable Conditions

Tarrant County Public Health

24/7 Number for Immediately Reportable Conditions: (817) 321-5350

Epidemiology and Health Information 1101 S. Main St – Fort Worth, TX 76104 Phone: (817) 321-5350 Fax: (817) 850-2366

Report confirmed and suspected cases.

Unless noted by *, report directly to Tarrant County Public Health Epidemiology

gionellosis ² ishmaniasis ² steriosis ^{2, 3} me disease ² alaria ² easles (rubeola) ² eningococcal infection, invasive (<i>Neisseria meningitidis</i>) ^{2, 3} ultidrug-resistant <i>Acinetobacter</i> (MDR-A) ^{2, 7} umps ² tragonimiasis ² ersticide poisoning, acute occupational ⁹ ague (<i>Yersinia pestis</i>) ^{2, 3} bliomyelitis, acute paralytic ² sion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² ubella (including congenital) ² Imonellosis, including typhoid fever ^{2, 3}	Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 week Call Immediately Call Immediately Within 1 week Call Immediately Within 1 work day Within 1 work day Within 1 work day Call Immediately Within 1 work day Within 1 work day Call Immediately
me disease ² alaria ² easles (rubeola) ² eningococcal infection, invasive (Neisseria meningitidis) ² , ³ ultidrug-resistant Acinetobacter (MDR-A) ² , ⁷ umps ² tragonimiasis ² esticide poisoning, acute occupational ⁹ ague (Yersinia pestis) ² , ³ eliomyelitis, acute paralytic ² eliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ² , ¹² fever ² ubies, human ² ubella (including congenital) ²	Within 1 week Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 week Call Immediately Within 1 work day Within 1 work day Within 1 work day
me disease ² alaria ² easles (rubeola) ² eningococcal infection, invasive (<i>Neisseria meningitidis</i>) ^{2, 3} ultidrug-resistant <i>Acinetobacter</i> (MDR-A) ^{2, 7} umps ² tragonimiasis ² ertussis ² resticide poisoning, acute occupational ⁹ ague (<i>Yersinia pestis</i>) ^{2, 3} bliomyelitis, acute paralytic ² bliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² tbies, human ² tbella (including congenital) ²	Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 week Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day
easles (rubeola) ² eningococcal infection, invasive (<i>Neisseria meningitidis</i>) ^{2, 3} ultidrug-resistant <i>Acinetobacter</i> (MDR-A) ^{2, 7} umps ² uragonimiasis ² ertussis ² esticide poisoning, acute occupational ⁹ ague (<i>Yersinia pestis</i>) ^{2, 3} pliomyelitis, acute paralytic ² pliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² ubies, human ² ubella (including congenital) ²	Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 work day Within 1 work day
easles (rubeola) ² eningococcal infection, invasive (<i>Neisseria meningitidis</i>) ^{2, 3} ultidrug-resistant <i>Acinetobacter</i> (MDR-A) ^{2, 7} umps ² uragonimiasis ² ertussis ² resticide poisoning, acute occupational ⁹ ague (<i>Yersinia pestis</i>) ^{2, 3} oliomyelitis, acute paralytic ² oliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² ubies, human ² ubella (including congenital) ²	Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 work day Within 1 work day
eningococcal infection, invasive (Neisseria meningitidis) 2,3 ultidrug-resistant Acinetobacter (MDR-A) 2,7 umps 2 uragonimiasis 2 ertussis 2 resticide poisoning, acute occupational9 ague (Yersinia pestis) 2,3 oliomyelitis, acute paralytic 2 oliovirus infection, non-paralytic 2 ion disease such as Creutzfeldt-Jakob disease (CJD)2,12 fever 2 ubies, human 2 ubella (including congenital) 2	Call Immediately Within 1 work day Within 1 work day Within 1 week Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 week Within 1 work day
ultidrug-resistant Acinetobacter (MDR-A) 2,7 umps 2 tragonimiasis 2 tertussis 2 testicide poisoning, acute occupational9 ague (Yersinia pestis) 2,3 bliomyelitis, acute paralytic 2 bliovirus infection, non-paralytic 2 ion disease such as Creutzfeldt-Jakob disease (CJD)2,12 fever 2 tibeies, human 2 tibella (including congenital) 2	Within 1 work day Within 1 work day Within 1 week Within 1 week Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 week Within 1 work day
umps ² pragonimiasis ² presticide poisoning, acute occupational ⁹ pague (<i>Yersinia pestis</i>) ^{2, 3} poliomyelitis, acute paralytic ² poliovirus infection, non-paralytic ² poliovirus infection, son-paralytic ² poliovirus infection, non-paralytic ² poliovirus infec	Within 1 work day Within 1 week Within 1 work day Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 work day Within 1 work day
ragonimiasis ² retussis ² resticide poisoning, acute occupational ⁹ rague (<i>Yersinia pestis</i>) ^{2, 3} reliomyelitis, acute paralytic ² reliovirus infection, non-paralytic ² relion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} rever ² relies, human ² rebella (including congenital) ²	Within 1 week Within 1 work day Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 week Within 1 work day
retussis ² resticide poisoning, acute occupational ⁹ resticide poisoning, acute occupational ⁹ resticide poisoning, acute occupational ⁹ respond to the second to the	Within 1 work day Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 week Within 1 work day
resticide poisoning, acute occupational ⁹ rague (<i>Yersinia pestis</i>) ^{2, 3} reliomyelitis, acute paralytic ² reliovirus infection, non-paralytic ² relion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} rever ² relies, human ² reliable (including congenital) ²	Within 1 week Call Immediately Call Immediately Within 1 work day Within 1 week Within 1 work day
ague (<i>Yersinia pestis</i>) ^{2, 3} bliomyelitis, acute paralytic ² bliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² blies, human ² bella (including congenital) ²	Call Immediately Call Immediately Within 1 work day Within 1 week Within 1 work day
bliomyelitis, acute paralytic ² bliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² blies, human ² ibella (including congenital) ²	Call Immediately Within 1 work day Within 1 week Within 1 work day
oliovirus infection, non-paralytic ² ion disease such as Creutzfeldt-Jakob disease (CJD) ^{2, 12} fever ² ibies, human ² ibella (including congenital) ²	Within 1 work day Within 1 week Within 1 work day
fever ² bies, human ² ubella (including congenital) ²	Within 1 week Within 1 work day
fever ² bies, human ² bella (including congenital) ²	Within 1 work day
ubella (including congenital) ²	-
ıbella (including congenital) ²	Call Immediately
	Within 1 work day
	Within 1 week
iga toxin-producing Escherichia coli ^{2, 3}	Within 1 week
igellosis ²	Within 1 week
ilicosis ¹⁷	Within 1 week
nallpox ²	Call Immediately
pinal cord injury ¹⁸	Within 10 work days
otted fever group rickettsioses ²	Within 1 week
reptococcal disease (groups A ² , B ² ; <i>S. pneumo.</i> ^{2, 3}), invasive	Within 1 week
yphilis – primary and secondary stages 1, 19	Within 1 work day
yphilis – all other stages ^{1, 19}	Within 1 week
nenia solium and undifferentiated Taenia infection	Within 1 week
rtanus ²	Within 1 week
raumatic brain injury ¹⁸	Within 10 work days
ichinosis ²	Within 1 week
ichuriasis ²	Within 1 week
	Within 1 work day
	Within 1 week
llaremia ^{2, 3}	Call Immediately
phus ²	Within 1 week
	Call Immediately
· · · · · · · · · · · · · · · · · · ·	Call Immediately
	Within 1 work day
	Call Immediately
ral hemorrhagic fever (including Ebola) ²	Call Immediately
ral hemorrhagic fever (including Ebola) ²	Within 1 week
ra ic ic ib ib ila	hinosis ² huriasis ² erculosis (<i>Mycobacterium tuberculosis</i> complex) ^{3, 21} erculosis infection ²² aremia ^{2, 3} hus ² ecomycin-intermediate <i>Staph aureus</i> (VISA) ^{2, 3} ecomycin-resistant <i>Staph aureus</i> (VRSA) ^{2, 3} rio infection, including cholera ^{2, 3}

In addition to specified reportable conditions, any outbreak, exotic disease, or unusual group expression of disease that may be of public health concern should be reported by the most expeditious means available. This includes any case of a select agent ²⁵

See select agent list at https://www.selectagents.gov/selectagentsandtoxinslist.html

*See condition-specific footnotes for reporting contact information (on back)

Sexually Transmitted Disease (STD) may be faxed to (817) 850-2355 Tuberculosis may be reported at (817) 884-2472 or faxed to (817) 850-8511

Texas Notifiable Conditions Footnotes - 2019

- ¹ Please refer to specific rules and regulations for HIV/STD reporting and who to report to at: http://www.dshs.texas.gov/hivstd/healthcare/reporting.shtm.
- ² Reporting forms are available at http://www.dshs.texas.gov/idcu/investigation forms at http://www.dshs.texas.gov/idcu/investigation/. Call as indicated for immediately reportable conditions.
- ³ Lab samples of the following must be sent to the Department of State Health Services, Laboratory Services Section, 1100 West 49th Street, Austin, Texas 78756-3199 or other public health laboratory as designated by the Department of State Health Services: *Bacillus anthracis* isolates, *Clostridium botulinum* isolates, *Brucella* species isolates, *Corynebacterium diphtheriae* isolates, *Haemophilus influenzae* isolates from normally sterile sites in children under five years old, *Listeria monocytogenes* isolates, *Neisseria meningitidis* isolates from normally sterile sites or purpuric lesions, *Yersinia pestis* isolates, *Salmonella* species isolates (also requested specimens positive for *Salmonella* by culture-independent diagnostic testing (CIDT) methods), Shiga toxin-producing *Escherichia coli* (all *E.coli* O157:H7 isolates and any *E.coli* isolates or specimens in which Shiga toxin activity has been demonstrated), isolates of all members of the *Mycobacterium tuberculosis* complex, *Staphylococcus aureus* with a vancomycin MIC greater than 2 µg/mL (VISA and VRSA), *Streptococcus pneumoniae* isolates from normally sterile sites in children under five years old, *Francisella tularensis* isolates, and *Vibrio* species isolates (also requested specimens positive for *Vibrio* by culture-independent diagnostic testing (CIDT) methods). Pure cultures (or specimens) should be submitted as they become available accompanied by a current department Specimen Submission Form. See the *Texas Administrative Code (TAC) Chapter 97*: §97.3(a)(4), §97.4(a)(6), and §97.5(a)(2)(C). Call 512-776-7598 for specimen submission information.
- ⁴ Arboviral infections including, but not limited to, those caused by California serogroup virus, chikungunya virus, dengue virus, Eastern equine encephalitis (EEE) virus, St. Louis encephalitis (SLE) virus, Western equine encephalitis (WEE) virus, West Nile (WN) virus, and Zika virus.
- ⁵ All blood collection centers should report all donors with reactive tests for West Nile virus, Zika virus, and Chagas disease to the DSHS Zoonosis Control Branch. If your center uses a screening assay under an IND protocol, please include results of follow-up testing as well. To report, simply send a secure email to www.dshs.texas.gov or fax the report to 512-776-7454. Providing the following data points will suffice: Collection Agency; Unique BUI #; Test Name, Collection Date; Last Name, First Name, Donor Phone Number, Donor Address, Date of Birth, Age, Sex, Race, and Hispanic Ethnicity (Y/N). If your location has a city or county health department, we recommend that you also share this same information with them. Contact information for the health department(s) serving the county where you are located can be found at www.dshs.texas.gov/idcu/investigation/conditions/contacts/.
- ⁶ For asbestos reporting information see http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/.
- ⁷ See additional MDR-A reporting information at http://www.dshs.texas.gov/IDCU/health/antibiotic resistance/MDR-A-Reporting.doc.
- ⁸ Report suspected botulism immediately by phone to 888-963-7111.
- ⁹ For pesticide reporting information see http://www.dshs.texas.gov/epitox/Pesticide-Exposure/#reporting.
- ¹⁰ For more information on cancer reporting rules and requirements go to http://www.dshs.texas.gov/tcr/reporting.shtm.
- 11 See additional CRE reporting information at http://www.dshs.texas.gov/IDCU/health/antibiotic resistance/Reporting-CRE.doc.
- ¹² For purposes of surveillance, CJD notification also includes Kuru, Gerstmann-Sträussler-Scheinker (GSS) disease, fatal familial insomnia (FFI), sporadic fatal insomnia (sFI), Variably Protease-Sensitive Prionopathy (VPSPr), and any novel prion disease affecting humans.
- ¹³ Call your <u>local health department</u> for a copy of the Varicella Reporting Form with their fax number. The <u>Varicella (Chickenpox) Reporting Form</u> should be used instead of an Epi-1 or Epi-2 morbidity report.
- ¹⁴ Applicable for governmental entities. Not applicable to private facilities. (*TAC §96.201*) Initial reporting forms for Contaminated Sharps at http://www.dshs.texas.gov/idcu/health/infection-control/bloodborne-pathogens/reporting/.
- ¹⁵ See https://www.dshs.texas.gov/epidemiology/epipoison.shtm for instructions on reporting controlled substance overdose.
- ¹⁶ Novel coronavirus causing severe acute respiratory disease includes Middle East Respiratory Syndrome (MERS) and Severe Acute Respiratory Syndrome (SARS).
- 17 For silicosis reporting information see http://www.dshs.texas.gov/epitox/Asbestosis-and-Silicosis-Surveillance/.
- 18 Please refer to specific rules and regulations for injury reporting and who to report to at http://www.dshs.texas.gov/injury/rules.shtm.
- ¹⁹ Laboratories should report syphilis test results within 3 work days of the testing outcome.
- ²⁰ Reporting forms are available at https://www.dshs.texas.gov/idcu/disease/hansens/forms.shtm.
- ²¹ Reportable tuberculosis disease includes the following: suspected tuberculosis disease pending final laboratory results; positive nucleic acid amplification tests; clinically or laboratory-confirmed tuberculosis disease; and all *Mycobacterium tuberculosis* (*M. tb*) complex including *M. tuberculosis*, *M. bovis*, *M. africanum*, *M. canettii*, *M. microti*, *M. caprae*, and *M. pinnipedii*. See rules and reporting information at http://www.dshs.texas.gov/idcu/disease/tb/reporting/.
- TB infection is determined by a positive result from an FDA-approved Interferon-Gamma Release Assay (IGRA) test such as T-Spot[®] TB or QuantiFERON® TB GOLD In-Tube Test or a tuberculin skin test, and a normal chest radiograph with no presenting symptoms of TB disease. See rules and reporting information at http://www.dshs.texas.gov/idcu/disease/tb/reporting/. Please report skin test results in millimeters.
- ²³ Any person suspected of having HIV should be reported, including HIV exposed infants.
- ²⁴ For lead reporting information see http://www.dshs.texas.gov/lead/Reporting-Laws-Administrative-Code.aspx.
- ²⁵ Please secure select agent isolates and specimens in accordance with the guidance in the <u>Select Agent Regulation</u>, and immediately initiate a consultation with public health regarding need for further testing or sequencing. Notify any transfer facilities of any test results of high consequence/interest.